Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

JFK Assassination System Identification Form

Date:

4/27/201

Agency Information

AGENCY:

RECORD NUMBER: 124-10196-10334

RECORD SERIES: HQ JUNE MAIL

FBI

AGENCY FILE NUMBER: 62-9-9-1106

Document Information

ORIGINATOR: FBI

FROM: SAC, CG

TO: DIRECTOR, FBI

TITLE:

DATE: 11/01/1962

PAGES:

SUBJECTS:

THP, SURVEILLANCE, ACT, GAL, ASSOC

DOCUMENT TYPE: PAPER, TEXTUAL DOCUMENT

CLASSIFICATION: Secret

RESTRICTIONS: 1B.

CURRENT STATUS: Redact

DATE OF LAST REVIEW: 11/16/1998

OPENING CRITERIA: INDEFINITE

COMMENTS:

eleased under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 210	)7 No
DATE: 11-14-2017 FD-143 (12-28-60) OPTIONAL FORM NO. 10	
UNITED STATES GOVERNMENT	
" Memorandum	
DIRECTOR, FBI (Bufile 99-9-9) DATE: 11/1/62 1-2-47  CHICAGO (92-350 Sup D) CLASSIFIED BY 5668 SUD JUST	
FROM PAC, CHICAGO (92-350 Sub D) CLASSIFIC ON 25X (JFK)	
SUBJECT: JUSTIFICATION FOR CONTINUATION OF TECHNICAL OR MICROPHONE SURVEILLANCE	
Re my FD-143 dated 8/2/62.	
RE: Title  TOP HOODLUM PROGRAM  CHICAGO DIVISION  HEREIN IS UNCLASSIFIED EXCEPT  WHERE SHOWN OTHERWISE.  Character of Case ANTI-RACKETEERING  Field Office Chicago  Control of Case Code Code Code Code Code Code Code Cod	N comprise
Symbol Number CG 6343-C*  W-7-94  Classified by SAN machine  Tield Office Chicago  Symbol Number CG 6343-C*  Type of Surveillance: (Technical or  Microphone) Microphone	
Declassify on: AADR	
1. Name of person or organization on whom surveillance placed:	
Celano's Tailor Shop, meeting place for Chicago Top Hoodlums.	
2. Address where installation made. Also give exact room number or area covered:	
620 North Michigan Avenue, second floor,	4
3. Location of monitoring plant: Central Tesur Plant	プ
(5 Chicago Office 536 South Clark Street Chicago Illinois 4. Dates of initial authorization and installation:	
Authorized 7/14/59. Installed 7/29/59.	
5. Previous and other installations on the same subject (with dates and places):	
Regular Democratic Organization, First Ward, 100 North La Salle, 10/62	
EX-118 REC- 1662 - 9 - 9 - 1104	
6. If installation is a technical surveillance, answer following questions:	
Not applicable a. Is a trunk line utilized? 18 NOV 19 1962	
b. Is the surveillance on a switchboard?	
c. Is the surveillance on a public coin-operated telephone?	
1 - Chicago WER: BJD (2) Registered Mail 62	
what,	

Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note):

DATE: 11-14-2017

DONFIDE TIME

- d. Is surveillance on a private line or a party line?
- e. If a party line, how many parties?

7. If a microphone surveillance involved, state number of microphones actually used and location of each:

One "mouse" microphone unit installed behind radiator, which is enclosed in a permanent wood panel housing in CELANO's office

office.
8. Is the installation part of a tel-mike? If so, give symbol of other side of the combination:

No.

9. Specific examples of valuable information obtained since previous report with indication of specific value of each item and the date information received. State what use was made of each item involved: (Add insert pages)

See attached.

10. Could above information have been obtained from other sources and by other means?

No.

11. Number of live informants (in field division) who cover same subject:

None for same coverage.


12. Has security factor changed since installation?

No.

13. Any request for the surveillance by outside agency (give name, title and agency):

No.

- 14. Cost of Plant Premises:
  - a. Rental costs for plant premises: None (Plant located in Chicago Office)
  - b. Give total number of other surveillances monitored at same plant. Four other surveillances and 13 other lines.



Released under the John F. Kennedy Assassination Records Collection Act of 1992 (44 USC 2107 Note).

DATE: 11-14-2017

SECRET

c. If any others, set out the proportionate cost of instant surveillance:

15. Cost of Leased Line for instant installation?

None

- 16. Personnel Costs:
  - a. Give total number of special employees and/or Special Agents working at plant and total salary costs.

5 Special Employees (SEs)

\$39,265.00 per annum

11,935.00 per annum

(CP only) (Polish only)

1 Special Agent (SA)
4 Special Agents

34,850.00 per annum

b. Total number of man hours per week spent at plant?

5 SEs - 200 hours or 100% of total work week

1 SA - 30 hours or 75% " " " (CP only)

4 SAs - 120 hours of 75% " " " ((Polish only)) (Colish only) (Polish only)

proportionate number of man hours per week spent on instant surveillance:

CG 6343-C\* - 23 hours per week or 11% of total work week of SEs in plant.

d. If other installations monitored at same plant, list proportionate salary expense per annum for instant surveillance:

CG 6343-C\* - \$4,319.15

17. Remarks (By SAC):

This surveillance will be continued for another 90 days UACB.

SECRET